



अंतर्राष्ट्रीय ऑटोमोटिव प्रौद्योगिकी केन्द्र
INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLOGY
[A Division of NATRiP Implementation Society (NATIS), Govt. of India]

TAC/Reference No. **C R 7 6 1 9**

Date : 13.05.2024





Cert	Dwg	Total
1	1	02 pgs

TYPE APPROVAL CERTIFICATE

(For compliance to AIS - 037)


Non- Transferable

1	Name of the Customer	M/s. Okaya Power Pvt. Limited				
2	Address of the Customer	D8, Udyog Nagar, Rohtak Road, New Delhi-110041, India				
3	Manufacturer Name & Plant Address	M/s. Sunoxx International Pvt. Ltd. Palli Road, Tehsil, Nalagarh, Panjehra, Solan, Himachal Pradesh, 174101, India				
4	Description of the Test Component	Battery Pack (Lead Acid)				
4.1	Battery Trade Mark	OKAYA				
4.2	Battery Model No.	OPERT15012				
4.3	Battery Nominal Voltage	12 V				
4.4	Battery Capacity	108Ah @ C5				
4.5	Drawing No.	DW-1581-0				
5	Pre-test Inspection Date	08.05.2024				
	Pre-test inspection report No.	CT0GT7617 Dated 09.05.2024				
6	Applicability on Vehicle Category	E-rickshaw / E-carts				
6.1	Applicable Notified Standard	AIS:048:2009 with amendment No.2 on 17.01.2020.				
6.2	Test Report No.	CT0GT7556 dated 27.02.2024				
7	Details of Quality Management System (QMS)	Sr.No.	Type of QMS	Certifying Agency	Certificate No.	Validity up to
		1	ISO 9001: 2015	QRO	305024030780Q	06.03.2027
8	Approval	√ Granted/ Not-Granted/Extended				
9	The CoP period for the Component mentioned in Sr. No. 4 above shall begin from the date of commercial production & 1st CoP shall be completed before 31 st March 2026					

ICAT Reference	CCTNOKYATFEEL176522 dated 03-May-2024	Please turn over for DISCLAIMER	
AUTHORISED SIGNATORY			
			
UDIT KAUL DY. MANAGER	SONU KR. SUDRANIA MANAGER	SAURABH DALELA DIRECTOR	Page 1 of 1

MARK	REV.NO.	DESCRIPTION	REVISED BY	DATE
△	-	---	---	---


OVER ALL LENGTH = 408±3.0



- NOTE:-
 CONTAINER MATERIAL : POLYPROPYLENE
 1. TYPE OF BATTERY : LEAD ACID BATTERY -TUBULAR
 2. NOMINAL VOLTAGE :12
 3. CAPACITY (Ah) : 108Ah@C5 CORRECTED AT 30°C
 4. TERMINAL POLARITY :RIGHT
 5. SUITABLE APPLICATION : ELECTRIC VEHICLE



OVER ALL WIDTH = 174±3.0



DESIGN	DRAWN	CHECKED	APPROVED	DATE	SCALE	PART. MATL./MATL.CODE	DESCRIPTION	WEIGHT
NARINDER S INDEEP	RAJESH	M.SHETTY	29-02-24	1:1	---	---	SEE NOTE	---
UNSPECIFIED	TOLERANCE	UNSPECIFIED	DRAFT ANGLE	15°-30°	SPECIFICATION NO.	REVISION		
UNDER 4	±0.15	OVER 4	UNSPECIFIED	RADIUS 0.2	SP.MS.-1840-0	00		
OVER 4	UNDER 16	±0.2						
OVER 16	UNDER 63	±0.3						
OVER 63	UNDER 250	±0.5						
OVER 250	±0.8							
					PART NAME		FINISHED BATTERY FOR	DRG.NO.
					OPERT 15012			DW-1561-01
								SHEET 01 OF 01

OKAYA POWER LTD
 D-7, UDYOOG NAGAR, ROHTAK ROAD
 NEW DELHI